




O-TP/ SERIES

Transparent LED Poster Screen

Led billboard

Distributeur Suisse



STREAMING-LIVE.ME

Bienvenue dans le monde du numérique

Nicolas OBERSON

nico@streaming-live.me


Rte du Péleret 10 D: +41 79 366 81 27

CH - 1691 Villarimboud




www.onedisplaygroup.com

One Display Limited



Parameters

SPECIFICATION			
Pixel Pitch	2.95–6.25mm		
Package brand	NationStar		
LED lamp bead model	SMD1921		
Pixel composition	1R1G1B		
Moudle Reslution(W*H)	128*8px(L/R)		
Moudle Size(W*H)	377.6X50mm (L/R)		
Moudle Fixed Way	Front Access (Screw)		
Panel Resolution(W*H)	256x192dots	256x256dots	256x320dots
Panel Size(W*H)	755.2x1200mm	755.2x1600mm	755.2x2000mm
Cabinet Size(W*H*D)	771.2x1362x45mm	771.2x1762x45mm	771.2x2162x45mm
Cabinet Weight (kg/unit)	32kg	39kg	45kg
Cabinet Material	Aluminum frame		
Flatness between modules	≤0.1mm		
Maintenance Way	Front & Rear		
Density of Pixel (dots/unit)	49152dots	65536dots	81920dots
Brightness(cd/m2)	5000		
Viewing angle	160°/160°		
Transparency	65%		
Contrast	1500:1		
Protection level	Ip42		
Gray scale	14bit		
Chromaticity uniformity	±0.003 within Cx,Cy		
Driving method	Constant current drive		
Frame change frequency	60		
Refresh rate	1920–3840hz		
Color temperature	2000K~9500K		
Operating platform	Windows XP /7/8/10		
Signal Input	HDMI、DVI		
Operating Voltage	AC: 110V~240V、50~60Hz		
Maximum Power (W/m2)	800		
Average power (W/m2)	340		
Continuous working time	≥7×24hrs		
Service life	100000Hours		
Operating environment	0℃~40℃ 35%~85%RH		



The best portable transparent advertising screen from OneDisplay

Portable transparent advertising screen

Can be hung, stand, stand structure, ready to use when power is on, WIFI mobile phone control APP, multiple playback.



High Transparent&High Brightness

Up to 65% transparency and 5000 nit brightness make the display more outstanding and the view more transparent.



High Refresh rate, Good Viewing Angle
High contrast 1500:1, Colorful play effects.



Light Weight & Quick
Portable and Flexible, Easy to move and install,
What You need is only a power cable

Distributeur Suisse



Nicolas OBERSON

nico@streaming-live.me

Rte du Péleret 10 D: +41 79 366 81 27

CH - 1691 Villarimboud

One Display Limited

Offic Number: +86 755-29949922

Phone/Whatsapp:+86 136-32789913

Email: info@onedisplaygroup.com /
marketing@onedisplay.net

Factory Address: No.1 Dayang 2nd Road,
Guangming New District, Shenzhen 518132