


Outdoor LED Cube For Retail From One Display



O-CUBE / SERIES

Outdoor LED Display Cube
for Retail

Distributeur Suisse



STREAMING-LIVE.ME

Bienvenue dans le monde du numérique

Nicolas OBERSON

nico@streaming-live.me

Rte du Péleret 10 D: +41 79 366 81 27

CH - 1691 Villarimboud



www.onedisplaygroup.com

One Display Limited



Parameters


SPECIFICATION

| | | | |
|--------------------------|------------------------------|----------------|----------------|
| Specifications | P2.5 | | |
| Pixel Pitch | 2.5mm | | |
| LED lamp bead model | SMD1415 | | |
| Pixel composition | 1R1G1B | | |
| Module Reslution(W*H) | 80x80 | | |
| Moudle Size(W*H) | 200x200mm | | |
| Cube Reslution(W*H) | 80x80x80dot | 160x160x160dot | 240x240x240dot |
| Panel Size(W*H*D) | 200x200x200mm | 400x400x400mm | 600x600x600mm |
| Module Quantity(W*H) | 1pcs/side | 4pcs/side | 9pcs/side |
| Weight(kg/ Cube) | 5.5kg | 25kg | 60kg |
| Material | Iron | | |
| Fixed Way | Rear Access(Screw) | | |
| Brightness(cd/m2) | 6000 | | |
| Protection level | Ip65 | | |
| Screen Design | 5 sided / 4 sided (optional) | | |
| Maintenance Way | Rear | | |
| Driving method | Constant current drive | | |
| Frame change frequency | 60 | | |
| Refresh rate | 1920~3840 | | |
| Color temperature | 2000K~9500K | | |
| Operating platform | Windows XP /7/8/10 | | |
| Control method | WIFI /4G | | |
| Operating Voltage | AC: 100V~240V、50~60Hz | | |
| Maximum Power (W/m2) | 700 | | |
| Average power (W/m2) | 200 | | |
| Continuous working time | ≥7x24hrs | | |
| Service life | 100000Hours | | |
| Operating environment | 0°C~40°C 35%~85% | | |



Multiple application scenarios

Outdoor Led Cube can be used as Advertising or information Publishment at Company LOGO Wall, Art Gallery, Exhibition, Chain Store, Airport, High-End Club, Restaurant&Hotel, Shopping Mall, Subway etc.




Smart designing with different dimension

The high resolution creates a unique visual effect. A variety of sizes to choose from 200mm to 600mm. Multi-sided display, can be 4-sided or 5-sided display. HD performance for both effects and dynamic video show.



Light weight and easy installation

The Cube LED sign has the advantages of lightweight, good wind resistance, easy installation, water-proof performance. Smart modular design secures fixing of panels and easy removal. No need frame for installation, no professional installation required.



Intelligent control method

Easy to control via WIFI, Support PC& mobile phone APP smart control 3D performance on the display.


Multiple input options

Plug and play device


User-friendly device

Outdoor Cube LED Display Plug and play device with multiple input options. With full guide, end-user can easy to operate the LED cube screen.

Standing



Hanging



Wall-Mounted

Multiple installation methods

The outdoor Cube LED sign is support hanging installation, standing, and wall-mounted installation.

Distributeur Suisse



One Display Limited

Office Number: 86755-29949922
Phone/Whatsapp: + 86136-32789913
Email: info@onedisplaygroup.com/
marketing@onedisplay.net
Address : Building 5A, Huaqiang Idea Park,
GuangMing New District, Shenzhen, 518107,
China.